# Occultation Newsletter

Volume III, Number 11

March, 1985

Occultation Newsletter is published by the International Occultation Timing Association. Editor and compositor: H. F. DaBoll; 6 N 106 White Oak Lane; St. Charles, IL 60174; U. S. A. Please send editorial matters, renewals, address changes, and reimbursement requests to the above, but for new memberships, new subscriptions, back issues, and any special requests, write to IOTA; P. O. Box 3392; Columbus, OH 43210-0392; U.S.A.

FROM THE PUBLISHER

This is the first issue of 1985.

When renewing, please give your name and address exactly as they appear on your mailing label, so that we can locate your file; if the label should be revised, tell us how it should be changed.

If you wish, you may use your VISA or MasterCard for payments to IOTA; include the account number, the expiration date, and your signature. Card users must pay the full prices, which are shown below, FOLLOWED BY THE DISCOUNT PRICES IN BRACKETS FOR THE USE OF THOSE PAYING BY CASH, CHECK, OR MONEY ORDER. These are corrected prices, which supersede those shown in o.n. 3 (9), 190.

o.N.'s price is \$1.46[1.40]/issue, or \$5.73[5.50]/ year (4 issues) including first class surface mailing. Back issues through vol.2, No. 13 still are priced at only \$1.04[1.00]/issue; later issues at \$1.46[1.40]. Air mail shipment of o.N. back issues and subscriptions, if desired, is 47¢[45¢]/issue (\$1.88[1.80]/year) extra, outside the U.S.A., Canada, and Mexico. IOTA membership, subscription included, is \$11.46[11.00]/year for residents of North America (including Mexico) and \$16.67[16.00] for others, to cover costs of overseas air mail. For IOTA members, the following items are available without extra charge; non-members pay \$1.04[1.00] for local circumstance (asteroidal occultation) predictions, and \$1.56[1.50] per graze limit prediction.

Observers from Europe and the British Isles should join IOTA/ES, sending DM 20.-- to Hans-J. Bode, Bartold-Knaust Str. 8, 3000 Hannover 91, German Federal Republic.

### IOTA NEWS

## David W. Dunham

There will be no IOTA session during the Texas Star Party on May 18th, as indicated might be the case on p. 204 of the last issue. Earlier we had hoped that we could hold our annual meeting then, but we will not have a quorum of the board of directors due to conflicting travel by one of the directors. If another IOTA member planning to attend the Texas Star Party wants to organize an IOTA session, let me know, but it can not count as an annual meeting. Contact TSP '85; Dept. A; 128 N. Commerce; Burleson, TX 76028 for more information about the Texas Star Party in May. The annual IOTA meeting will be held

in Houston, TX, sometime during November. We still want to hold an IOTA meeting with the Texas Star Party in a future year, perhaps 1986.

A copy of the IOTA travel expense report needed to subtract legitimate expenses from your income reported to the Internal Revenue Service, and an explanation, were distributed to members in the U.S.A. with the last issue. The form was prepared by Charles Herold, following a handwritten draft which I wrote on the plane trip to Houston for the IOTA meeting last November; I did not have a copy. After giving the draft to Herold, a couple of minor changes subsequently were discussed by telephone. Chuck sent me a copy of the form by special delivery on December 18, but the postal service did not deliver it to me until January 2, by which time the last issue already had been distributed. Hence, I did not have a copy of the form when I wrote the explanation, and a few discrepancies resulted. Under expenses, item 6 (postage) should not have been listed separately, since it is a subset of mailing expense (item 5). Under travel (item 3) auto, personal automobile travel was intended, and the mileage as well as the the cost (at 9 cents per mile for 1984) should be reported (if you have not already sent your form for 1984 to DaBoll, write the mileage above the auto travel expense on the form). The cost of renting a car in a distant city should be included in "other" travel expenses, along with tolls and parking fees, airplane tickets, taxi, etc. The cost of maps needed for an expedition can be included under "Misc." expense; any other expense more than \$5 in this category needs an explanatory note. A place for reporting the grand total expense for all expeditions was not included in the form. If you are listing expenses for more than one trip, the grand total should be written in just to the right of the word "TOTAL," and left of all the individual trip totals.

Tony Murray, an IOTA member in Georgetown, GA, works in a print shop and has offered to print IOTA letterhead and envelopes for the cost of the plates, paper, envelopes, and postage. I sent him a design using the moon symbol from the o.w. masthead. Murray is working on the letterhead and envelopes for a few of the IOTA officers, and will produce versions with only the symbol and IOTA (not abbreviated) for use by the other officers. The latter also may be of use by other members, for example to write to the director of a park or other facility for permission to observe an early morning graze. Send me a large (wider than 10.6 cm, longer than 24.2 cm), self-addressed (and stamped, if you live in the U.S.A.) if

you want 2 (one ounce) or 5 (two ounces) copies of the letterhead and envelopes. We have decided to use dark blue ink. We will design an IOTA membership card, which Murray will duplicate and send to DaBoll, probably for distribution with the next issue of  $\phi.N$ .

ILOC recently sent residuals for 1982 lunar occultation observations to several observers. We hope their operation is smoother now, so that residuals for 1983 and 1984 might be produced with less delay.

The 1985 January issue of Sky and Telescope is now out of print. This is unfortunate, since it contains my annual articles on the 1985 lunar and planetary occultations, which new subscribers no longer will be able to buy. As noted in the last issue, Sky and Telescope sometimes can publish more up-to-date information about specific asteroidal occultations due to their more frequent publication. Also, Sky and Telescope sometimes publishes finder charts which are better than the ones in o.n.; see p. 245 of their March issue. Also in the March Sky and Telescope is an interesting account of the creation of the new Lowell 18-inch astrographic telescope, mentioned in o.n. 3 (8), 161-162.

The telephones for asteroidal occultation updates in Houston, TX, (713,488-6871) and in Silver Spring, MD, (301,585-0989) are also the home telephones for Paul Maley and me, respectively. Hence, you will get the recorded message only if we are not there; some callers have been surprised when someone answers the phone. The person who answers the phone usually has the latest information, so this is rarely a problem. Some observers call during the early morning hours to take advantage of cheaper phone rates. For five days before asteroid occultations potentially visible from North America listed in sky and Telescope and O.N., I usually will disconnect the phones when I go to bed except for the one with the answering machine, so you can obtain the messages then. On other dates, useful asteroidal occultation updates are rarely available and non-emergency late-night (Eastern Time Zone) calls are discouraged. If you get the recorded message, you always can leave a message after it is played, and are encouraged to do so if you are organizing observers in your area and the latest information indicates that the path may be nearby. See also Joan's article about an astronomy computer bulletin board on p. 233.

Unfortunately, my work with eclipses has left no time to work on the observations of the 1983 occultations by (2) Pallas and (51) Nemausa. By July, other project deadlines will have passed, and I then will concentrate on the final analysis of these events. I plan to have a final draft of a paper about Pallas written before the American Astronomical Society's Division on Planetary Science meets in Baltimore October 29 to November 1.

The eclipse work also has delayed the star catalog and asteroid occultation search work mentioned in the last issue; I do not expect to undertake this work in earnest until April. It will need to be completed in June, since we need to produce the next issue no later than the end of June. Since the work is not done now, the photoelectric supplement mentioned in previous issues will not be initiated until the next issue. Occultations of stars by the coma of Comet Giacobini-Zinner will be most impor-

tant during the months preceding the encounter with the Interplanetary Cometary Explorer on September 11, since observations of these events could give important information about the dust hazard which can affect the spacecraft targeting strategy. As of late February, the comet had not been recovered, and this is desirable for computing an orbit accurate enough for occultation predictions. A CCD observation of an unpredicted occultation of a 15th-mag. star by the coma of another comet using the 1.54-m reflector at Catalina Observatory, AZ, is described by S. Larson and M. A'Hearn in an article, "Comet Bowell (1980b): Measurement of the Optical Thickness of the Coma and Particle Albedo from a Stellar Occultation," in Icarus 58, pp. 446-450 (1984). Predictions of occultations by Halley's Comet are given by E. Bowell, L. Wasserman, W. Baum, R. Millis, and K. Lumme in "Occultations of Stars and Radio Sources by Comets: Predictions and Observing Prospects, in Cometary Astrometry, pp. 105-122. This book contains the proceedings of a workshop held June 18-19, 1984, at the European Southern Observatory Headquarters in Garching, G.F.R. in conjunction with the International Halley Watch. The book is Jet Propulsion Laboratory Publication 84-82, edited by D. Yeomans, R. West, R. Harrington, and B. Marsden. The first listed observable occultation of a star is not until October; these events will be included in my list of additional occultations in the next issue.

## GRAZING OCCULTATIONS, CONTINUED

#### David W. Dunham

The table given with this article is a completion of the one started on p. 207 of the last issue, including the reports of grazes not in that table which I received since preparing the one in  $o.N.\ 2$  (16), 220. Reports of all grazes received since the last issue was published are listed in the table with Don Stockbauer's article on p. 230. As noted in the last issue, graze reports now should be sent to Don Stockbauer; 2846 Mayflower Landing; Webster, TX 77598; U.S.A., and preferably a copy also should be sent to ILOC (Geodesy and Geophysics Division).

I have received some inquiries about general information for observing grazing occultations. I have not answered these, since the desired material will be included in IOTA's occultation manual, which will replace the currently used out-of-date papers. Some of the questions have been asked by new members who joined IOTA about a year ago and who were not sent a copy of the old papers to which they were entitled. If you are in this category, write to me at P.O. box 7488; Silver Spring, MD 20907. I plan to have a preliminary version of the manual ready within two weeks. Although some sections will not be complete, up-to-date essential information describing the predictions and their use will be included. Since this will be a big improvement over the old set of papers, the latter no longer should be requested, and the preliminary manual should be used instead. Copies will be distributed to a few experienced observers for comments, and to new observers who don't have the old papers, as soon as possible. Sometime before the next issue of o.n. (at worst, simultaneous with its distribution), copies of the preliminary manual will be distributed to all IOTA members. It will be available to others from IOTA for \$2.50 (\$2.60 if VISA or MasterCard is used). The copies

will be sent unbound so
that update pages and
sections can be added
later; storage in a ring
binder will be recom-
mended. Help in finish-
ing the incomplete sec-
tions will be solicited;
a "complete" manual
might be ready about a
year from now.
,
It is truly amazing that
the most successful

graze expedition to date, involving a 5.3mag, star, took place on a January workday morning (see p. 231). Paul Maley must be congratulated for this remarkable feat, involving mostly observers from the Houston, TX, area; could observers in your city do half as well with a brighter star during a warm evening? În our area, we would have trouble coming anywhere close to this record. Even more remarkable, Don Stockbauer led a second expedition from the same city for the simultaneous graze of 2.9-mag, Alpha 2 Librae, obtaining more timings than were made during any graze observed in 1984 by a wide margin, as far as I know. Since Maley's group had a sizable south shift, they missed the top of the profile, which was recorded well by Stockbauer's expedition. An account of the January 15th efforts, including a plot of the observed profile, will appear in Sky and Telescope, probably in either the May or June issue.

[The table continues on the two pages following this one.]

<u>M</u> o Dy	Star Number	Mag	% <u>Sn 1</u>	<u>CA</u>	# # S Ap Location Sta Tm S cm Organizer	Şt	₩A	ψ	
6 13	093562 118833 139143 0692	8,1 8,3	49+ 69+	N N	Kiev, Ukraine 1 1 24 A. A. Shitetsky Shtompelevka, Ukr. 1 2 8 N. P. Kalinichenk Kiev, Ukraine 1 3 24 V. I. Mazur Beregovo, Ukraine 1 1 2 7 V. Mikhailets & E		arr	naya	
1980 3 21 3 21 4 21	0692 0692 097448	1.1	32+		Tolochin, Belorussia 2 5 6 V. A. Golubev Sosnovka, Russia 5 18 8 Alexander Osipov Poltava, Ukraine 1 3 20 B. F. Sincheschul				
1 31 2 9 2 12 2 26 3 28 5 8 5 11 5 27 6 6 9 3 9 17 10 7	109577 0692 2280 2591 1129 1504 3339 1355 140042 0454 163462 080019 2618	6.9 7.8 1.1 6.8 6.5 5.3 7.6 7.6 7.8 7.9 6.6	20- 20- 64+ 56- 57- 27+ 58+ 48- 23+ 79+ 88- 47- 20+	11S 5S -S 14S N N N	Kiev, Ukraine Melbourne, FL 8 25 2 8 Harold Povenmire Mims, FL 2 4 1 15 Harold Povenmire Gorredijk, Holland 10 50 1 8 D. Schmidt Miami, FL 1 2 1 15 Harold Povenmire Harrisburg, RSA 3 8 1 6 M. D. Overbeek Warmbad, R. S. Africa 3 37 1 8 J. Barsby Babsfontein, RSA 9 75 Grootvlei, R. S. Af. 3 3 Kameneis-Pod., Ukr. 1 2 Pienaarsrivier, RSA 2 7 Boksburg, R. S. Afr. 9 23 Johannesburg, RSA 7 12 Gober, TX 2 9 1 20 Paul Newman Edenvale, R. S. Afr. 9 28 Heidelberg, R. S. A. 6 13 J. Barsby			-2	
4 29 5 1 5 12 5 17 5 25 5 26 5 29 7 6	2498 0249 1047 2595 0843 079113 V 1129 098554 2725 3419 1433 1191 1485 187543 187547 187581 C15274' 0620 0663 077287 1856 1856	4.57 7.28 5.37 7.28 5.37 5.88 6.89 7.76 6.99 106.39 6.66 4.0	12- 36+ 74+ 70- 16+ 31+ 56+ 83- 9+ 42+ 0E 0E 0E 0E 16- 8- 33+ 66+	14S 4S 15 1S 1S 4N 14S 5N -3S 7N 05U 0 N 8N 8N 5N 5N 10N	Wimamua, FL 6 21 2 15 Tom Campbell Charmhaven, Austrl. 5 34 2 7 Roger Giller	551 5 2N 11N1	3354 3354 181 66 68 185 67 68 68 68 68 68 68 68 68 68 68 68 68 68	7	
7 30				10N	Pietermaritzbg., RSA 1 1 1 15 Christopher Lake	- 13		-53	

OBSERVATIONS OF ASTEROIDAL APPULSES AND OCCULTATIONS

## Jim Stamm

(114) Kassandra and SAO 95572, Feb 14, 1983: (O.N. 3 (8) 166). An attempt to observe the occultation was made by Marco Cavagna and Oreste Meliga from the island of Digiri, Republic of Maldives. They report no occultation from 18:39 UT to 18:59 UT.

(128) Nemesis and SAO 139402, May 2, 1983: (O.N. 3 (9) 186). Jorge Polman reports that two teams ob-

served no occultation from La Paz, Bolivia: Miranda Trujillo and Espinoza Yamaguchi, and Ortiz Mauser and Salm. Oporto.

(386) Siegena and AGK3 +5° 2112, Jul 16, 1984: (O.N. 3 (9) 187). J. Pinson, observing from La Seyne, France, saw no occultation from 00:28 to 00:47, and none were seen from 00:25 to 00:45 at Haute-Provence Observatory at St. Michel, France.

(87) Sylvia and SAO 211985, Aug 8: (O.N. 3 (9) 187). David Dunham had telephoned updates on this

event to Danie Overbeek	Star % # # S Ap	
in South Africa, who no-	M D M 1 M C 7 CA 1	<u>WA b</u>
tified only a few ob-		
servers, since a miss	198 <i>2</i>	
now was predicted for	8 13 0610 6.2 39- 13N Fisher, TX 1 5 1 12 Rick Baldridge 4N3	345-37
South Africa. Overbeek	8 14 0765 5.3 28- N Elmore City, OK 2 22 1 20 Carl Schweers	J. 0 0.
reports the following	8 15 0928 6.0 18- 12N Strongsville, OH 3 10 1 11 Mark Allman	
results: Misses were		344 14
reported by Blane, Bo-		179-32
denstein, Fraser, Lear-	0.07 0446 7.0 60 40 0 31 4 40 0 41	179-32
month, and Overbeek at	9 10	344 20
Witwatersrand; Van El-	9 11 077553 8.2 43- 13N N. Robinson. Ont. 1 4 1 15 Michael Watson	345 21
linckhuyzen at Bloemfon-	9 22 159310 7.7 22+ 3N Wortham, TX	2-40
tein; and Pazzi at Ni-	9 25 2661 7.1 52+ 4S Schofields, Austri. 4 14 1 7 Greg Hayward	179 -8
gel. However, J. Stro-		176 49
bos and V. Hirsch, ob-	10 8 0843 7.2 67- 15N Camarillo, CA 2 13 2 15 Richard Nolthenius 03	
serving at Port Eliza-	10 10 1118 6.0 48- N P.SantaMaria, Spain 5 13 1 8 L. Quijano	
beth, recorded a disap-	10 10 1118 6.0 48- 9N Roma, Italy 2 6 2 15 Adriano Filipponi 3	350 -9
pearance at 18:01:37.2		178 8
±094, and a reappearance		175 8
at 18:01:59.3 +0\$8. The	10 04 0050 7 5 44 50 11	177 22
significance of this ob-	10 26 3092 6.2 60+ 4S Thornton, MS 1 10 1 20 Benny Roberts	177 47
servation is summarized	40 00 400440 9 0 44	173 46
in the last issue of $o.n.$	10 27 3228 7.2 70+ 7S Powhatan. NC 3 32 2 20 Mark Lane	
	11 8 098510 7.3 49- 11N Seminary, MS 1 5 1 20 Benny Roberts 1	349-41
(747) Winchester and BD	11 21 2961 6.0 27+ 6S Whangarei, N.Z. 1 4 25 G. Hudson	
$+4^{\circ}$ 978, Sep 2: (O.N. 3	11 23 3228 7.2 46+ 135 Manila, P.I. 1 7 1 8 Ernesto Calpo 01	169 56
(9), 187). Thomas Lang-	12 10 139356 8.0 22- 3S Garrisonville, VA 2 8 2 20 David Dunham	
hans, at San Bruno, CA,	12 22 3428 5.2 38+ 10S Torbanlea, Queens 1. 1 15 1 20 Dennis Lowe	171
monitored the star from	12 25 0249 4.7 69+ 14S Bundaberg, Queens 1. 3 22 1 8 Dennis Lowe	164 59
10:00 until 10:24 with-	12 30 078519 9.1 OE 89U Garland, TX	2 0
out observing an occul-	12 30 078519 9.1 OE 90U Timpson, TX 1 2 1 20 Don Stockbauer 0	
tation.	12 30 CO374710.2 OE U Kailua, HI	-5
	12 30 C0374710.2 OE U Pahala, HI 1 6 1 25 William Albrecht	~5
(188) Menippe and SAO	12 30 078665 8.2 46E U Bulacan, P.I. 1 9 1 8 Rodrigo Nieva 18 1	163 -6
143998, sep 3: B.		
Thooris, at Wervik, Bel-	1983	
gium, observed from 18:	1 18 146764 8.4 19+ 14S Thornburg, VA 2 8 1 20 David Dunham 1	172 70
55 to 19:27 without	1 19 0018 6.0 26+ S Burguillos, Spain 3 20 1 20 L. Quijano	
seeing an occultation.	2 3 1950 5.8 67- S San Fernando, Spain 4 15 1 8 L. Outiano	
Clouds prevented obser-		169 63
vations from 19:03:15 to		171 63
19:05:22, 19:09:38 to	2 18 0249 4.7 23+ -7N Potomac, MD 1 5 3 20 Jay Miller	355 64
19:13:45, and 19:22:18	2 19 0404 5.2 35+ 9S New Plymouth, N.Z. 1 1 15 J. Walmsley	
to 19:26:32.	2 21 0668 6.0 55+ 28 Cor. de Tucson, AZ 6 26 2 15 Gerald Rattley 381	180 29
1044 14	2 21 0700 5.7 58+ Bundaberg, Austrl. 1 3 7 G. Walters	
(209) Dido and SAO	3 7 185674 7.1 41- 175 Petronila, TX 1 2 1 20 Don Stockbauer 1251	199 -0
188498, Sep 4: O.N. 3	3 10 2921 6.1 20- S Bloemfontein, RSA 2 8 1 9 G. N. Walker 0	
(9) 187). Under cloudy	3 21 0752 4.7 38+ 1N Bay View, MD 3 18 1 11 Richard Taibi	
skies, Ferruccio Ginnel-	3 21 0752 4.7 38+ 1N Glasgow, DE 2 8 1 20 David Dunham	0 18
li, at Fortaleza, Bra-	3 21 0752 4.7 38+ 1N Millville, NJ 1 3 Fred Schaaf	
zil, found an interval from 1:13 until 1:26	3 22 0923 6.9 50+ 3N Chester, TX 5 22 1 20 Don Stockbauer 1N	2 0
	3 23V078963 7.0 60+ 5S Doswell, VA 2 7 1 20 David Dunham 1	174-14
with good transparency	4 5 2850 7.6 47— Brisbane, Queensld. 1 8 41 P. Anderson	
and stability, but ob- served no event.	4 17 0725 6.9 16+ 1N Riverdale, TX 4 34 1 15 Don Stockbauer 0	1 18
Survey no event.	4 17 0761 6.7 18+ 1N Appin, N.S. Wales 1 11 1 25 Russell Oldham	0 4
(6) Hobe and another	4 19 1041 8.0 35+ 2N Richwood, TX 1 3 1 20 Don Stockbauer 5N	1-14
(6) Hebe and anonymous	4 29 2302 2.9 95- 16S Henderson, NC 1 2 2 20 Mike Kazmierczak	
star, Sep 14: From Meu- don Observatory at Meu-		196-19
don. France. it was de-	4 29 2303 5.1 95- 16S Cary, NC 2 4 2 28 Mark Lang 5 3 2921 6 1 63- 2N Waikanao N Zoaland 2 5 15 Custom Plant	

4:11:24. The observation lasted from 4:07:30 until 4:19.

5 3

5

6

5 18

2921 6.1 63-

3304 6.4 36-

1308 4.7 33+

5 18 080293 8.5 32+

don, France, it was de-

passed about 2 arc sec-

onds south of the star,

with least distance at

termined that Hebe

(47) Aglaja and SAO 146599, Sep 16: (O.N. 3 (9) 182). Four chords were obtained by members of the Saguaro Astronomy Club for this event. Peter Manly, observing from 2:15 to 2:36, recorded a 1257 disap-

pearance starting at 2:26:05.9. Scott Stiers got a 12925 extinction at 2:26:06.75, while monitoring from 2:15 to 2:31. Gerald Rattley began at 2:21:44, and observed a couple of blinks before timing a 1356 chord beginning at 2:26:08.7. He reports a possible 055 step event just before the end of the occultation. His observing ended at 2:39:11. Chris Schur

1 5 1 25 Ben Hudgens

2 17 1 25 Benny Roberts

15 Graham Blow

6~40

4 - 39

P. Raw

2N Waikanae, N. Zealand 2 5

8N Flora, MS

6N McComb, MS

Melbourne, Victoria 6 24

timed a 13 <sup>S</sup> 1 event be-	Star %	#	_# S Ap	
ginning at 2:26:09.2. He monitored from 2:22:	Mo Dy Number Mag Snl	<u>CA</u> <u>Location</u> <u>Sta</u>	<u>a Im S cr</u>	Organizer St WA b
07 to 2:40. All of	1983			
these observations were	6 2 3243 7.4 62-	2S Auckland, N. Zealand 2		B F. Herdman
made near Phoenix, AZ. Ken Guyton recorded a 2-	6 16 1514 6.1 31+ 6 23 2343 6.4 95+	- 8N Lacygne, KS 5 - 10N Media, PA 2		Robert Sandy 6-56 David Dunham 14-14
sec. occultation at Ma-	6 25 186624 9.0 70E	81U Oxford, New Zealand 1	1 9 20	G. Evans
con, GA. This chord was	7 2V 3536 4.7 60-	· 10N Cor.de Tucson, AZ 11	199120	Derald Nye 6S
the closest to the southern limit that was	7 7 076632 8.7 10- 7 17 2033 4.3 58+		3 20	Dennis Lowe
reported. At Tucson,		–58 S.F.Saserra, Spain 3 –148 Stepe Bugt Denmark 1		Carles Schnabel   187-5   N. P. Wieth-Knudsen 191-23
AZ, James McGaha began	7 31 0188 7.9 66-	· 18N Vinton, LA 3	3 12 1 20	Don Stockbauer 9N344 66
observing at 2:18, and			2	Mark Allman N
reported a possible 0.5- magnitude drop at 2:26:	8 4 076687 8.8 25-		18? 2622	Mark Allman David Dunham
10, and a full 2-magni-	8 5 0859 6.5 16-	- 14N Salvo, NC - 3	3 28 1 <b>1</b> 2	Pavid Dunham 0344 3
tude drop at 2:26:13.2.	8 27 0106 6.8 90-	Sabadell, Spain 1	2 1 2	Ricard Casas
which lasted 1097. His observation ended at 2:	9 2 078308 9.0 28-	- 12N C.Campo Leoni,Italy - 14N Los Angeles, CA - 1	1 0 2 20	) Filipponi Adriano 347-16 ? Richard Nolthenius 345-11
32. Richard Nolthenius	9 2 00259710.1 28-	15N Los Angeles, CA	2 1 42	Richard Nolthenius 345-12
searched out a site that	9 4 1285 7.8 10-	- 15N San Fernando, CA - 1	1 4 7 1!	Richard Nolthenius 0359-43
he felt would not be covered by other observ-	9 15P186844 8.5 63+ 9 15 187515 9.1 68+	- 15S Mt. John,N.Zealand 1 - S Fortaleza, Brazil 1		) Graham Blow ? Ferruccio Ginelli
ers. He monitored the		- 3S Ilford, N.S. Wales 2		) Greg Hayward
star from 2:19 until 2:	9 16 2850 7.5 73+	<ul> <li>3S Oxford, New Zealand 1</li> </ul>	1 6 20	) G. Evans 178 30
32, observing a blink at 2:26:02.5, and a 0.3-	9 29 078040 8.6 54- 10 13 2790 6.2 46+	· 11N Lick Obs., CA · 6S Kawakawa,N.Zealand 2		Richard Nolthenius 347-12
magnitude drop from 2:		- 19W Tisvildeleje,Denmark		
26:08 to 2:26:11. He	10 27 1030 3.2 70-	N Tifton, GA 2		Harold Povenmire
feels that these obser- vations could be spuri-	10 27V 1030 3.2 70- 10 28 1170 3.7 59-			David Dunham 2S346-24
ous. (See $O.N. 3$ (10),	10 28 1170 3.7 59-	· 13N McHenry, MS 2 · N Forsythe, GA 2	2 14 1 23 2 18 1 1	5 Benny Roberts 345-37   Harold Povenmire
203 for Chuck Herold's	10 28 1170 3.7 59-	- 14N Columbia, SC 2	2 10 1 20	) John Safko
notes on a secondary oc- cultation.) Michael	10 28 1170 3.7 59- 10 28 1170 3.7 59-	•		Mark Lang
Mooney and Scott Ire-				5 Jan Dabrowski 9 Floyd Mattheis
land, observing at	10 28 1170 3.7 59-	· 11N Duck, NC 2	2 15 1 20	David Dunham 5N347-37
Southern Cross Observa- tory in Florida, detect-	10 30 098813 8.2 35- 11 12 3116 6.7 47+	ON Layhill, MD		David Dunham C180-59
ed no events from 2:23	11 13 3304 6.4 61+			5 G. Hudson D G. N. Walker O
to 2:30, and I monitored	11 14 3343 5.8 64+	· 11S Redwood City, CA 1	1 921!	Rick Baldridge 18168-17
from 2:21 to 2:31 at London, KY, without ob-				2 David Dunham C5S184-63
serving any events.	11 27 1544 5.7 50- 11 29 119317 8.2 28-	· 5S North Merrick, NY 7 · 1S Hazleburst, MS - 2	/ 25 i i i i	Samuel Storch Benny Roberts C184-64
	11 29 119349 8.7 27-	- 6S Webster. TX 2	2 10 1 20	Don Stockbauer 3S189-63
(334) Chicago and SAO 164723, Oct 2: After	12 11 165389 8,5 43+	S Herk deStad, Belgium	1 3 1 2	Patrick Poitevin
timing a graze at Pine	12 11 3374 6.3 43+	- 8S Falkenberg, Sweden 1	1 / 2 (	5 N. Wieth-Knudsen 174 74
Log, GA, I hastily moved	1984			
my equipment down the road to join John Helton	1 9V 3484 6.8 28+ 1 9 3484 6.8 28+	<u> </u>		David Dunham 3S171-36
and Hal Povenmire, and	1 9 0018 6.0 35+			5 Philip Dombrowski )Ginat
with their help I moni-	1 12 110169 8.7 56+	· 18S Damon, TX 1		Don Stockbauer 6S161 53
tored the star from 1; 08 to 1:28, detecting no	1 12 110217 8.7 57+			Richard Nolthenius 162 53
event. F. Hubner, ob-				Benny Roberts 189-64   Harold Povenmire 10N
serving from Las Palmas,	1 25 2064 6.5 48-	S Springer, OK 3	3 33 10	3 Carl Schweers
Canary Islands, saw no occultation from 00:43	1 25 2064 6.5 47-			Harold Povenmire
to 1:23.				B Benny Roberts 169 53 5 James Fox 174-75
	2 23V 2267 5.1 53-	16S Englishtown, NJ 🥞	5 25 1 20	David Dunham 38198 -6
(365) Corduba and SAO 145486, Oct 6: (O.N. 3	3 10 0//3/5 7.1 54+ 4 10 080764 8.0 71+	· 3N Kennet Square, PA 1 · 5N Ashton, MD		) David Dunham ) David Dunham
(9), 181. Under good	6 13 2513 4.3100-			David Wheeler
skies, I observed no		· 12N North Miami, FL 1	1 6 1!	Harold Povenmire
event from 3:01 to 3:17, at London, KY. I had no				James Ashton 5 James Fox 345 -7
trouble finding the	10 16 1061 6.1 60-			5 James rox 345 -7 5 Henk Bulder
star. Which was only 15			- • •	

star, which was only 15

degrees from the 87%-lit moon, but the glare hin-

dered my observation. Peter Manly, Gerald Rattley,

and Rick Rotramel, observing from central Arizona, reported that glare also prevented them from seeing

the asteroid. They did not see an occultation either. Times were 2:54-3:15, 2:55-3:25, and 3:03-3:07, respectively. Manly taped the appulse with an intensified TV camera. Gregory Lyzenga, at Cow Canyon Saddle, on Mt. Baldy, CA, did not feel that the moon interfered significantly, and he observed from 2:56-3:24 without seeing any extinctions.

(6) Hebe and anonymous star, oct 9: Peter Anderson, at Brisbane, Australia, saw no event from 15:12 to 15:25. He states that there was "a 52% chance that the asteroid passed south of the star."

(747) Winchester and BD +02° 1330, Oct 15: Steve Hutcheon, at Sheldon, Australia, monitored from 15: 22 to 15:33. He saw no occultation, and felt that the asteroid passed north of the star.

(735) Marghanna and AGK3 +13° 0253, Oct 16: At Besancon, France, P. Rousselot monitored the star from 00:30 until 00:50. No events were detected, and he was able to separate the pair with 70 power throughout the observation. It took 300 power to separate the two at closest approach at Tavagnacco, Italy. G. Sostero observed from there from 00:00 to 00:57, seeing no occultation.

(545) Messalina and AGK3 +36° 0536, Oct 21: No fewer than 17 European observations were made of this event, all of which produced negative results. Troublesome clouds interfered with T. Midavaine at Paris, France (4:17-4:29); J. Van Camp at Waarloos, Belgium (3:50-4:07 and 4:12-4:35); and at Meudon Observatory, France (3:58-4:02, 4:07:10-4:09:10, and 4:13-4:18). The other observers had good conditions. From France were B. Candela at Sollies-Pont (4:05-4:30), J. Pinson at La Seyne (3:59:50-4:35) the C.E.R.G.A. Observatory at Caussols (3:55-4:23), and the Haute-Provence Observatory at St. Michel. The latter reported that the asteroid seemed to have passed east of the star. Observers from Belgium . were M. Deconinck (4:04-4:29), A. Lheureux (4:14-4:30), L. Louys (3:55:15-4:26:48), and L. Zimmermann (3:55-4:26:25) at Brussels; B. Thooris at Wervik (4:05-4:40); and F. Van Loo at Heist/Berg (4:00-4:19). German observers were: at Wiesbaden, W. Palzer and M. Kretlow (4:00-4:24); at HPH Observatory, F. Hubner (3:50-4:21); at Mainz-Lerchenberg, R. Riemann (4:10-4:25); and at Mz.-Klein-Winternheim, A. Gabel (4:00-4:20).

(712) Boliviana and SAO 108591, Oct 24: Ferruccio Ginelli at Fortaleza, Brazil, began observing at 20: 55, and watched the asteroid pass to the west of the star, giving an elongated image at about 21:19. His observation stopped at 21:29, with no events detected.

(121) Hermione and anonymous star, Nov 4: Pete Manly and Gerry Rattley were glad to finally get an event away from the horizon, moon, and twilight, and this one was straight up in the dark sky. Unfortunately, they couldn't point their TV camera straight up, and they had to make their observation visually. Observations were begun at 12:46, and at 12:53:16.5 a 198 disappearance occurred. Manly reported that the disappearance lasted about 094, and the "in" had the "crisp snap of reappearance." In addition, he detected a 1/3-second blink at 12:57:51. Observations ceased at 13:06.

(790) Pretoria and BD +23° 6, Nov 8: I monitored this star at London, KY, from 5:17 until 5:30, see-

ing no occultation. Benny Roberts, at Jackson, MS, also observed no events from 5:15-5:35. He did not observe from 5:24-5:25 because of clouds. Despite fatigue and having to set up in a hurry, Gerry Rattley, in central Arizona, monitored the star from 5:15:30 to 5:30, with a  $17^{\rm S}$  break at 5:20:09, and a  $6^{\rm S}$  break at 5:24:23. He only observed a miss.

(238) Hypatia and AGK3 +6° 0528, Nov 12: There was no occultation from 23:50 to 00:35 according to German observers W. Palser and M. Palzer at Wiesbaden Observatory, nor at HPH Observatory according to F. Hubner. R. Riemann at Mainz-Lerchenberg reports none from 00:00 to 00:26. Misses were also reported by Belgian observers C. Baetens (Boechout), J. Bourgeois (Conneux), and H. Riemig (Boechout); and French observers S. Kuchto (Guyancourt), P. Mazalrey (Vernon), and at the Meudon Observatory.

(1) Ceres and BD  $+8^{\circ}$  471, Nov 13: Eight portable photoelectric stations travelled to Mexico for this event, with the help of a National Geographic Society grant. Seven were successful (3 from Lowell, 3 from the University of Arizona, and I from the University of Maryland). David Dunham reports that the longest chord obtained was 75 seconds, and this indicates a diameter of 1000 km when the rotation of the earth is taken into account. Two groups from the Southern Cross Astronomical Society obtained photoelectric dimmings. Scott Ireland, Michael Mooney, and Dan Leibow recorded a 1s drop in light level at 4:42:05 from Burn's Lake, FL, while Donald Parker, William Douglas, and Jeff Beish obtained a 75929 chord from South Miami, FL. Hal Povenmire reports that about 9 other photoelectric chords were obtained in Florida and the Bahamas, including 3 from mobile photoelectric observers from the Massachusetts Institute of Technology. He claims to have seen the O.1-magnitude drop visually. He saw a flicker and called out "That's it!", which was later confirmed with the tape recording and photoelectric record. Povenmire states that he noticed a slight color change, but did not notice the reappearance.

P/Halley and anonymous star, Nov 23: Benny Roberts and Ben Hudgens monitored the 12.9-magnitude star from 6:50 to 7:15 at Jackson, MS, without observing any occultation. This is the first attempt at observing an occultation by Halley that has been reported to IOTA.

(751) Faina and BD +17 $^{\circ}$  796, Nov 24: According to astrometry done at Lowell Observatory, the path of this event was shifted close to the equator. Gregory Lyzenga observed quite a lot of activity while monitoring the star from 9:15 to 9:38:10 at La Verne, CA. He reports 4 disappearances and 3 fadings. He feels certain about the first 3 disappearances (9:15:12.8-14.0, 9:16:07.1-09.4, and 9:16: 24.9-25.8), but feels the others could be spurious. John Sanford, at Orange, CA, reports no occultation from 9:24-9:35. He believed that closest approach was about 9:28. Gerry Rattley and Chris Schur reported that the asteroid passed noticeably south of the star, from central Arizona. They monitored from 9:09:15.5 to 9:35. Also from central Arizona, Leroy Paller and Pete Manly used an intensified TV camera from 9:21 to 9:40 to record a miss.

P/Halley and unnamed 12.9-mag. star, Nov 24: Pete Manly and Leroy Paller used their intensified video with WWV-synchronized timer to monitor the star from

12:32:13 to 12:52:29. They had to use a hair drier to remove dew, and a flashlight to check the corrector of their C14, which caused interruptions at 12: 34:15 ( $73^{\circ}$ ), 12:38:49 ( $48^{\circ}$ ), 12:43:10 ( $10^{\circ}$ ), and 12:46:46 ( $11^{\circ}$ ). A miss was recorded.

(747) Winchester and 7 stars, Nov 28, Dec 9, 11, 12, 22, and two on the 23rd: On Oct 26th, three exposures were taken at Lick Observatory, and the astrometry for these events showed all paths to be close to the predictions from the new ephemeris by Landgraf. See below for details of individual events.

(747) Winchester and SAO 114569, Nov 28: The path of this event was predicted to cross Mexico (near Mexico City), Venezuela, and northern Brazil. Dunham called Josephine Mallén in Mexico City, and sent telegrams to Merida, Venezuela, and Recife, Brazil. From Merida, Ignacio Ferrin reports that Yamandu Fernandez observed a miss at Montevideo, Uruguay, but Antonio Mendez recorded a 2793 extinction at Valencia, Venezuela, beginning at 6:08:58. At Coral Gables, FL, Donald Parker and Michael Mooney decided to use a filar micrometer to determine the position of the asteroid relative to the star. They determined that Winchester passed 1.41 south-southwest (PA=204°) of the star at 6:13:43.09. From central Arizona, Gerry Rattley observed a miss. He monitored from 6:17:01.5 to 6:47:00.5 with a 25 break at 6:28:01, and feels that the asteroid passed slightly south of the star.

(717) Wisibada and SAO 75930, Dec 1: Dunham called me several hours before the event, and indicated that astrometry now placed the path over Kentucky. Despite the full cloud cover, I called several observers. It cleared up an hour before the predicted time, but clouded over again 4 minutes before the event. Charles Evans, at Hampton, VA, was able to observe from 4:30 to 5:04, but did not see any drops in light. Richard Dietz at the university of Northern Colorado (Greeley) saw no occultation from 4:40-4:51. Joe Senne reported no event from Rolla, MO. Michael Crist monitored the star at Burns, TN, from 4:38 until 4:50 without seeing any occultation. From central Arizona, misses were reported by Gerry Rattley (4:34:26-5:00), Chris Schur (4:20-4:50), and Pete Manly (4:37-4:57). Three Belgian observers also reported misses: D. Baise and A. Lheureux at Brussels, and R. Boninsegna at Dourbes.

(40) Harmonia and SAO 78926, Dec 3: A preliminary report from Roland Boninsegna states that A. Lheureux, at Brussels, Belgium, observed a miss.

(418) Alemania and unknown star, Dec 9: Eleven European misses were received in Boninsegna's report. Belgian observers were D. Baise, A. Lheureux, L. Louys, Y. Thirionet, and L. Zimmermann at Brussels; J. Fruru at Merksem; B. Thooris at Wervik; and P. Van Cauteren at Aartselaar. Italian observers were M. Cavagna and C. Gualdoni at Gravedona, and G. Sostero at Tavagnacco.

1983 TB and SAO 55826, Dec 15: Brian Marsden at the Smithsonian Astrophysical Observatory computed an improved orbit from very recent observations by Arnold Klemola at Lowell Observatory. Since this asteroid has an orbit very close to that of the Geminid meteor stream, it is speculated that it may be the parent body of the famous December meteor shower

(see Astronomy (Jan 85) pp. 68-70). Although the diameter probably is less than 15 km, there may be a lot of material close to the asteroid (or dying comet), and some extra effort was put into observing this occultation. Mike A'Hearn (University of Maryland) and David Dunham distributed a notice based on Lowell Observatory calculations to observers within 200 miles of the predicted path, which was from Trenton, NJ; thru Erie, PA; north of Detroit and Minneapolis; and on thru North Dakota; Montana; and over Vancouver Island. The time was from 7:55 to 7:57. Bad weather occurred everywhere except in North Dakota, and we've received no reports.

(6) Hebe and anonymous star, Dec 16: From the Oct 26 plates taken by Klemola, it was determined that the path would be shifted 0.40 S, similar to the predicted path for the 1983 TB event described above. See the map published on p. 196 of o.n. 3 (9). Notices were also sent to photoelectric observers, but clouds were nearly everywhere. David Skillman at Laurel, MD, did record 2 possible occultations during a photoelectric run from 4:20:45 to 4:27:19. But his light curve was not sharp, and the drops were larger than expected. Skillman also mentioned that he did not recognize the drops as typical occultation events. The first one was 31<sup>s</sup> long, beginning at 4:23:13, and the second was  $15^{S}$  long, beginning at 4:24:56. David Dunham reported that there were widespread fog and low clouds throughout much of the area that night.

(161) Athor and SAO 59154, Dec 17: Under partly cloudy skies, I found the star easily, but one of those clouds placed itself under the star throughout the time of the event, except for one second, at precisely the time the event was supposed to be central at London, KY. I observed a 9th-magnitude flash at the time that I was hoping for an extinction

(747) Winchester and star A on S&T finder chart, Dec 22: The path shift was predicted to be 1.32 N from the EMP82 position, placing it over Gaspe and northern Nova Scotia. Dunham sent letters to observers in the area, but no reports have been received yet.

(747) Winchester and star B on S&T finder chart, Dec~23: The path of this event was predicted to cross Brazil between Recife and Rio de Janeiro.

(747) Winchester and BD +4° 1312, Dec 25-26: I monitored the star at London, KY, from 00:01 until 00: 13:10. High cirrus clouds were present immediately before the observation began, and I noticed a lot of dimming activity up until 00:06:30, when the star appeared to go out for one second. Another extinction occurred at 00:06:58, and lasted 4 seconds, with a blink at precisely 00:07. Because of the clouds and the star's altitude (6°), I would have recorded all of this activity as "certainly spuri-'except that I saw no more dimmings during the next 6 minutes, so I used "probably" instead, for the two distinct dimmings. Wolfgang Palzer and W. Landgraf monitored the star from 23:50 to 00:15 at Wiesbaden (Observatory), German Federal Republic. They determined that the asteroid passed from 0.5 to 1.0 from the star at  $00.05 \pm 3^m$ . Clifford and George Stowers, observing at Fairfield, ME, saw no occultation from 23:50 to 00:13. David Dunham observed from Virginia Beach, VA. He timed a lunar occultation disappearance of a 5.5-mag. star at 00:01, and then monitored from 00:04 to 00:12, seeing the closest approach. Dunham, noticing that the star was just off Klemola's October plate, was unable to obtain last-minute astrometry, until a card arrived 3 days after the event, from Bob Millis of Lowell Observatory, giving the measurements of the star. Ironically, the path shifted south from the nominal prediction with Landgraf's ephemeris by 0.30, or 1:37 north of the nominal path using the EMP 1982 ephemeris, placing the event over virtually all of Massachusetts, southern New York, and other populated areas in southern New England. A further irony despite warm weather and generally clear skies, we did not get a single report from anyone in the path. Perhaps Christmas and other competing events caused this opportunity to be lost.

(111) Ate and SAO 78743, Dec 30: At Wiesbaden, West Germany, W. Palzer, W. Landgraf, H. R. Schneider, and H. Ibler observed from 18:45 to 19:15, and determined that Ate passed within 3" of the star at 19:05. Other German observers who also recorded negative results were F. Hubner at HPH Observatory (18:50-19:30), and R. Riemann at Mainz-Lerchenberg (19:12-19:22).

(150) Nuwa and SAO 96300, Dec 31, 1984: Gerry Rattley monitored this star from 4:55 until 5:15, in central Arizona, and noticed a "most probably spurious" event at 5:00:15.2. A 0%2 "wink" was followed by a similar wink of a 10.5-mag. star just northwest of SAO 96300. Gerry notes that it did not have the appearance of a real event, and probably was something "flittering by."

(40) Harmonia and SAO 78419, Jan 1, 1985: Tony Freeman saw the asteroid blend into the star at ll: 57 and emerge at 12:09, from Berkeley, CA. He believes that the asteroid went south of the star. From central Arizona, Gerry Rattley also saw the images merge, but reports that the south shift was obvious. He monitored from 11:50:58 until 12:15. Thomas Langhans, at San Bruno, CA, observed from 11:52 until 12:13, seeing no occultation.

(6) Hebe and SAO 113607, Jan 3: Gerry Rattley, observing from central Arizona, monitored the star from 7:35 to 7:55. The seeing was so poor that he feels the 0.6-mag. drop could have escaped his detection, if it did occur. Wolf Fahrenbach had similar problems from (unreported), Oregon, with his "visually negative" observation.

(815) Coppelia and SAO 57393, Jan 6: Benny Roberts observed two "probably spurious" dimmings of the star at 6:41:31 and 6:41:35 at Jackson, MS. His "cloudy" observation lasted from 6:20 to 6:45. Five observations were carried out from central Arizona; all produced negative results. Gerry Rattley observed from 6:26:57 until 6:50. Chris Schur and Rick Rotramel from 6:28 to 6:50 (different locations), Kent Hepburn from 6:20 to 6:30, and Pete Manly from 6:25 to 6:50 with an intensified video camera. Other negative observations were made by David Dunham, Silver Spring, MD; Richard Taibi and Terry Losonsky at separate locations in Temple Hills, MD; and Paul Maley and other observers in Houston, TX.

(97) Klotho and SAO 130148, Jan 10: Danie Overbeek reports that misses were observed from Cape Town,

Sutherland, and Henly on Klip, South Africa.

(206) Hersilia and SAO 94422, Jan 18: From central Arizona, Pete Manly, with his intensified video camera, monitored the star from 1:38 to 1:58, and recorded a miss.

(566) Stereoskopia and SAO 139116, Jan 21: Danie Overbeek reports that misses were observed from Cape Town, Henly on Klip, and Potchefstroom, South Africa.

(747) Winchester and SAO 95375, Jan 22: Danie Overbeek reports that misses were observed from Cape Town, Edenvale, Johannesburg, and Potchefstroom, South Africa.

(1227) Geranium and SAO 41172, Feb 6: Harold Povenmire monitored this 'Goffin' event photoelectrically at Melbourne, FL, and saw no occultation. A few other observers in central Florida also monitored without seeing an occultation.

(535) Montague and SAO 93598, Feb 10: David Dunham saw no occultation from 3:18 to 3:30 at Silver Spring, MD. Despite his scope dewing up, his WWV receiver conking out, stray lights, and annoying passers-by, Greg Lyzenga determined that no occultation longer than one second occurred between 3:10 and 3:27. At 3:16:50  $\pm 5^{\circ}$ , as he was being disturbed by lights, Lyzenga may have seen an 8th- or 9th-mag. star appear for one or two seconds, a few arc minutes north of SAO 93598. He does not give this observation much weight, however.

(579) Sidonia and SAO 78450, Feb 16, 1985: David Dunham saw no occultation from 5:11 to 5:25 at Silver Spring, MD.

## GRAZING OCCULTATIONS

#### Don Stockbauer

Lunar grazing occultation reports should be sent to me at 2846 Mayflower Landing; Webster, TX 77598; U.S.A. Also, sending a copy to ILOC would be greatly appreciated. ILOC's full address is International Lunar Occultation Centre; Geodesy and Geophysics Division; Hydrographic Department; Tsukiji-5; Chuo-Ku; Tokyo, 104 Japan. Please note the new division.

I enthusiastically agreed to collect the graze reports and write the articles because grazes are my primary observing interest. As some background information on myself, I first became interested in occultations after meeting Dr. David Dunham at the University of Texas in 1974. Between then and 1981, my efforts were either solo ones, or as a member of someone else's expedition. In 1981 I formed a group within the Houston Astronomical Society dedicated to the proposition that any observable graze is worth doing, not just favorable "cream of the crop" events. Currently I am a programmer for Computer Sciences Corporation (Houston) working with the telemetry data bases of the space transportation system.

The largest change I have seen in our organization since 1974 is the waning of interest in lunar grazes and the waxing of interest in asteroidal occultations. The value of occultation observations increases greatly with time, and it would be a shame if graze observations will have highly valuable, esoteric applications for future astronomers, but that

not enough data were collected. Perhaps our current organizers can keep an eye on upcoming events in both areas and not abandon grazes.

The list of grazes reported to me appears on this page. For some of them, I received no report directly, but was informed of the effort secondhand. If any anecdotal information is sent with the reports, I will include it as space permits.

#### Notes on individual events:

K072II (CD −26°12457)

Oct 1. 1984: This was an 8.2-magnitude non-SAO

star which was grazed under fairly favorable circumstances. The profile had huge features which sprawled for over five miles on the ground. The lunar altitude was 14°, and the seeing was only fair. Carl Sexton, an experienced observer, called out 41 events for it; by combining calls closer than one second, I reduced this to 31. Carl believes the events were real, and not seeing variations. The main problem is that the coarse features on the predicted profile do not look conducive to a multitude of contacts. For anyone wishing to duplicate the conditions, the latitude libration was 3,98, Watts angle = 176°8, and the site was 0"34 south of the predicted southern limit.

SAO 109786 Dec 31, 1984: Benny Roberts timed 11 contacts of this star using only the USNO "graze nearby" message for a prediction. This is quite remarkable; having no profile or precise limit prediction is very risky. Proceed with caution.

ZC 2117 Jan 15, 1985: This was the first of two grazes to sweep across Texas that morning. The star was 8 Librae, the 5.3-magnitude companion of the wide double star α Librae. Paul Maley was the organizer, and through extensive pre-graze canvassing for observers, had 75 stations manned near La Porte, TX, of which 65 obtained data. This site did not permit coverage of the profile adequately to the south, and unfortunately, a 0.6-mile south shift occurred. Gary Nealis, the southernmost observer, had the largest number of events (10); stations farther south would have had quite a show. The dilemma of grazes is that the area which has the greatest potential for a lot of action is usually very close to the miss zone. Most members of this expedition had only four contacts; it was the sheer number of stations that established a new record for total events timed during a single expedition. Maley published his grand total as 268, but I get 269 when I add up his individual station counts.

zc 2118 Jan 15: This was the 2.9-magnitude primary of  $\alpha$  Librae. I led a 14-station expedition to Madisonville, 90 miles northwest of Houston, TX, while George Ellis and Jim Stevens mounted efforts near Waco and Lubbock, respectively. The primary is an

Мо	Dу	Star <u>Number</u>		% <u>Sn1</u>	<u>CA</u>	# # C Ap Location Sta Tm C cm Organizer	St WA b
198	33						
8	3	0527	6.3	37-		Martintown, Ont. 3 20 1 9 Brian Burke	38
9	3	079257	8.3	19-	S	North Gower, Ont. 2 13 1 15 Brian Burke	-25
198	34						
_	22					Foothill Coll.,CA 2 3 3 20 Rick Baldridge	3\$181-64
						Kantala, Ontario 5 17 2 10 Brian Burke	-49
10	Ì					Chocolt. Bayou,TX 3 39 2 20 Don Stockbauer	6S177 40
	1					Woodland, CA 2 15 2 20 Rick Baldridge	4N170 67
		109786	8.7	59+	118	Crystl Sprngs, MS 2 11 1 33 Benny Roberts	168 43
198							
						La Porte, TX 65 269 1 Paul D. Maley	55199-09
						Lubbock, TX 1 6 Jim Stevens	
1	15					Waco, TX 3 16 George Ellis	
	15					Madisonville, TX 14 82 1 3 Don Stockbauer	1S199-08
						Mayflower, AR 7 49 Clay Sherrod	
						Myersville, MD 7 20 2 20 David W. Dunham	3\$169 45
						California, MD 3 9 1 20 David W. Dunham	2\$166 8
2	1					Corte Madera, CA 4 22 2 20 Rick Baldridge	3\$163-21
2						Thornburg, VA 2 6 2 20 David W. Dunham	3\$193-52
2 2 2						Centerville, VA 2 6 2 20 David W. Dunham	2N193-45
2	9	1821	2.9	82-	145	East Haven, CT 1 4 2 25 Philip Dombrowski	193-41

FK4 reference star, so no large shift was expected; we observed a 0.1 south shift. Our coverage of the profile picked up where 8 Librae left off, since I concentrated my stations in the prime area very near the southern tip of the shadow. Only the expected accuracy of the prediction made this feasible. Observers from Austin; Dallas; Houston; and Jackson, MS; helped to record this rare event.

ZC 742 Jan 2, 1985: Rick Baldridge reports that Brian White was unable to obtain data due to an unusual circumstance; his car was rear-ended on the way to his own station after dropping Rick off at his station! The damage was minor, but when Brian got out of his van looking up at the moon, the poor lady almost went into shock figuring she surely would be sued for whiplash!

An issue was raised prior to the two grazes on Jan. 15, 1985: Which are more valuable; a few 'high resolution' graze expeditions with a huge number of stations; or very frequent 'low resolution' efforts? At this point, David Dunham and I feel that we need the more frequently obtained data. Anyone familiar with the Watts data knows they refer to whole mountains that don't exist, and exclude others that do. Very infrequent expeditions with huge numbers of stations will never catch all these errors; frequent low resolution ones will. Trying to map the lunar profile with only high resolution grazes would be like the first explorers of America charting only one square mile of land in great detail every few years; the overall view needs to come first. What is particularly distressing is to hear an expedition leader say that these smaller efforts are not worthwhile and don't get good data. In light of the above argument, 30 grazes, collecting a total of 300 timings, would be much more valuable than one record-breaking 300-event expedition. Actually, the high-resolution organizer has to space observers so closely that many of the data collected are redundant.

I hope to make the grazing occultation section of o.w. not just a dry report of the data, but a forum for expressing opinions about all aspects of the prediction and observation processes. Opposing viewpoints are welcome.

#### ECLIPSE NEWS

#### David W. Dunham

1984 May 30: All videotapes, movies, and still pictures of this eclipse have not been reduced, as erroneously stated in C. Herold's minutes of the IOTA meeting on p. 203 of the last issue. I have analyzed 51 timings of Baily's bead events obtained from my videotape, as described on p. 202; no other timings of this eclipse have been reduced or analyzed. Alan Fiala and I still have not been able to complete a composite videotape, as we have promised, but this should be accomplished within 2 or 3 weeks. Fiala has found a convenient 3/4-inch VHS VCR. Tom Harmon, a local observer, is trying to set up equipment that I can use to add a moving cursor to a copy of my record. I will use it to point out the individual beads, and dub in the Watts angle. For most events, this probably will be more useful than any plots we can produce for identifying the Watts angles of features causing bead events in other records. More information about the composite videotape is in the last issue.

Results of my (preliminary) analysis of this eclipse were given in the last issue, and results for other recent eclipses, including revised solar radii for eclipses back to 1925, have been given in earlier issues. These have been reported only in O.N. and Stardust, the bulletin of the local National Capital Astronomers. Dr. Fiala will present these results at the March 28th meeting of the American Astronomical Society's Division on Dynamical Astronomy in Austin, TX. They will be published in an abstract, for which I am a co-author, in a future issue of the Bulletin of the A. A. S.

1984 November 22-23: Some of Paul Maley's photographs, and an account of IOTA's effort to measure the solar diameter, are included in "November's Chancy Eclipse" in Sky and Telescope 69 (2) 183-186. Maley has determined times of numerous Baily's beads from his videotape of the event, and from another one recorded by G. Nealis at a nearby site in Papua New Guinea. We plan to add these records to the May 30th composite videotape mentioned above. I performed the reduction calculations and sent Maley the printout, including printer plots of the predicted profile near each event, for determination of the Watts angles of the features. W. Beisker tells me that H. Bode's 35-mm photographs taken with an automatic winder clearly show many Baily's beads, but his position in the southern part of the zone of totality has not been measured accurately. Jay Pasachoff obtained a videotape near the centerline at Hula, P.N.G., but only 2nd and 3rd contact are apparent due to the short 48-mm focal length of his lens. A filter was in place at 2nd contact, but was removed before totality ended.

1985 May 4: David Herald's floppy disk of Astrographic Catalog data for the 1985 and 1986 lunar eclipse star fields were received in January, and a local observer, Terry Losonsky, read and copied the files with his Commodore computer. A co-worker with Commodore and a modem is working on transferring the data to another computer, from which we eventually can get it to magnetic tape or otherwise transferred to the U. S. Naval Observatory computer. By the end of March, I plan to have used the data at USNO to generate predictions for the 1985 and 1986 lunar

eclipses, and distribute them to observers in eastern Brazil and the Eastern Hemisphere, from which the May 4th eclipse will be visible. Herald wants a subset of Watts' data on floppy disk in return, and we will try to reverse the above procedure to produce them for him.

The most interesting event during the May 4th eclipse will be the occultation of 2.9-mag. Alpha 2 Librae (Zubenelgenubi = 9 Librae = Z.C. 2118), described in o.n. 3 (9), 184-185 (the components were reversed in that article; Alpha 1 = 5.3-mag. 8 Librae). Besides being a spectacular naked-eye event, it will provide the best opportunity to accurately measure the moon's polar diameter for at least 19 years. This will provide a precise calibration for solar eclipse diameter determinations from solar eclipse Baily's bead and contact timings. Both limits of the Zubenelgenubi occultation cross desert areas with high probabilities of clear skies.

The very successful observations of the southern-limit grazes of both components of Alpha Librae in Texas on January 15 (see p. 231) trace the lunar profile in detail in the same Watts-angle range where the southern-limit graze will occur in southern Africa on May 4th. Hence, this detail can be combined with only a few timings of the May 4th south-limb graze to give a very strong southern limb fit to Watts' data. The Jan. 15 and May 4 librations differ by less than 2° in longitude and about  $\frac{1}{2}$ ° in latitude.

Sudan is the only country where observation at the northern limit is practical. The limit for Alpha 2 passes within 100 km of Khartoum, the capital, and the graze occurs close to the time of central eclipse there. Paul Maley has made several useful contacts via the American Embassy in Khartoum, including professors on the Sudanese National Council of Research and in the Physics Department at the University of Khartoum, as well as the superintendent of the Khartoum American School. Local help will be essential for equipment clearance through customs, transport to the northern limit, and assistance in the graze path. Since the graze should be visible without optical aid, we plan to organize local observers to obtain approximate timings at many intermediate stations. Maley also has talked with Chevron Oil Company officials, who have said that it should be possible to loan us a dual-frequency navigational satellite receiver, which they have in Sudan for surveying, to determine accurate geographical coordinates for our sites.

I also have corresponded with Prof. A. Woodruff, a member of the lunar section of the British Astronomical Society who has observed some occultations from his home at Juba, Sudan. He has sent us 1:250,000scale maps of the area and has put us in touch with a professor of geography at the University of Wad Medini, which is near the graze path. Woodruff plans to observe the graze with us. We have applied for N.S.F. support for travel to set up video cameras to record the graze at three stations, but the lateness of application decreases the chances for getting the support. During the week preceding the eclipse, my employer is sending me to a meeting of the European Space Agency in Garching, G.F.R., and I plan to travel from there to Sudan. Contact me at P. O. Box 7488, Silver Spring, MD 20907 (or by telephone, 301,585-0989) for further details if you

#### ASTBBS - ASTRONOMY BULLETIN BOARD SYSTEM

#### Joan Dunham


We are in the process of building a computer bulletin board system for astronomy. This will be an Apple Bulletin Board System, built by modifying the ABBS sold by Washington Apple Pie, the Apple computer users' group in the Washington, DC, area. The emphasis will be on providing announcements of astronomical events, observations planned, and the results of observations. Message service will be provided, but we intend that to be secondary to the announcements. Members of this BBS will be able to use the message service, and non-members will be able to read messages, bulletins, and announcements. Information will be provided on occultations by asteroids, on Comet Halley and Comet Giacobini-Zinner, on grazing occultation expeditions planned from the Washington, DC, area, and meetings or public events on astronomy in our area. Bulletins will be provided on novas, new comets, satellite barium cloud releases, etc.

The equipment we will use for this BBS is an Apple II+ with two disk drives and a RAM pseudo disk; an internal clock, and a US Robotics Password modem. This equipment is ours, and we are providing this BBS service free of charge. We don't know how useful the ASTBBS really will be. Initially, this will be an experiment.

The software for this system is public domain software, written by volunteers, and, of course, full of bugs waiting to attack. Copies can be provided on request (we will want you to supply 2 diskettes, and it will work only on an Apple II+ with our equipment configuration.

For more information, or to request membership, send us a note at P.O. Box 7488; Silver Spring, MD 20907. We expect that it will take a few months to get it really working well. Any member of IOTA or of the local National Capital Astronomers with a terminal and a modem may ask for an ASTBBS membership. The ASTBBS will be a 300/1200 baud system, changing to match the rate of the incoming calls.


[Ed: Seven grazing occultation reduction profiles produced by ILOC appear below and on pages 234 and 235. Three grazing occultation reduction profiles produced by Robert Sandy appear on pages 236 and 237. Figures produced by M. Sôma and D. Dunham, continuing the article PLANETARY OCCULTATIONS DURING 1985 (see O.N. 3 (10), 208-222), appear on pages 237-242.]



#### CHARACTER GENERATOR CONVERSION


# Rob Peterson


The following is a brief description of how to convert the JVC CG-P50U character generator for use with any camera which generates standard negativesynch composite video (e.g., RCA TC2055/U and many others). The CG-P50U was designed for use with a specific JVC camera, but its low cost (less than \$100), useful features (12 title screens held by continuous memory and a six-digit interval timer), and convenient size (4 oz.) may make the simple conversion worthwhile to some. The required mods are: 1) one wire soldered inside the case; and 2) a battery clip soldered to a cable to provide power. Some details: 1) remove the case bottom (3 screws) and solder a single small wire (e.g., #24 stranded, insulated) from the center of the phono plugs to pin l of the adjacent 8-pin connector; replace the cover and install the small memory batteries; 2) the short cable with 8-pin connectors at each end can be used to provide 9 to 12 VDC to the unit. I cut the cable in half and soldered a standard clip-on 9 V battery connector (Radio Shack) to the red (+) and black (-) wires in the cable; the six unused wires were disabled with electrical tape. This crude scheme requires removing the battery when the unit is not in use. Save the other cable half.





The unit's manual explains the many functions of the device, but remember that only one of the two operation modes will be available — the "monitor" mode. After cabling the unit and providing power, "press the CREATE key while holding the MONITOR key pressed" to initialize the unit. The first title screen will be superimposed on the camera video, ready for text entry or timer initialization. Careful reading of the manual may help.


3738 Arnold: Houston, TX 77005

















Anonymous by Nemausa 1985 Apr 16




SAO 137722 by Mnemosyne '85 Apr 19




SAO 183095 by Victoria 1985 Apr 21




SAO 120229 by Vesta 1985 Apr 23





Anonymous by Nemausa 1985 Apr 23



SAO 159413 by Saturn 1985 Apr 25










+02°2250 by Palma 1985 Apr 28


SAO 190841 by Adeona 1985 May 30

SAO 137693 by Loreley 1985 May 31









SAO 76770 by Panopaea 1985 Nov 5 **SAO 80435** by Brixia 1985 Nov 10